

SPECIFICATION AMENDMENTS:

Please amend the Specification paragraphs as follows:

1. Please amend portions of Table 1 on pages 29-31 as follows leaving the portions of Table 1 on page 28 unchanged; delete Examples 5, 7-15; please combine Example 6 and 16 on the same page:

			Example			
			5	6	7	8
Receipt of raw material composition of colored particle (Parts by weight)	Binder resin	Styrene-acrylate resin 1				
		Styrene-acrylate resin 2				
		Polyester resin	100	100	100	100
	Colorant	Magnetite				
		Copper phthalocyanine type cyan pigment	3	3	3	3
		Quinacridone magenta type pigment				
		Benzidine yellow type pigment				
		Carbon black				
	Mold releasing agent	Low molecular weight polypropylene			2	2
		Low molecular weight polyethylene	3	3		
		Fatty acid amide wax				
	Charge controlling agent	Iron-azo complex				
		Chromium salicylic acid complex				
		Zinc salicylic acid complex	2.5			
		Molybdenum quaternary ammonium complex				
	External additive (added amount to colored particle in parts by weight)	Silica	2.5	2.5	2.5	2.5
		Positively chargeable silica				
		Titanium oxide	0.5	0.5	0.5	0.5

		Example					
		9	10	11	12	13	
Receipt of raw material composition of colored particle (Parts by weight)	Binder resin	Styrene-acrylate-resin-1					
		Styrene-acrylate-resin-2	100				
		Polyester-resin		100	100	100	100
	Colorant	Magnetite					
		Copper-phthalocyanine-type-cyan pigment					
		Quinacridone-magenta-type pigment		-4		-4	
		Benzidine-yellow-type pigment			-4		-4
		Carbon-black					-4
	Mold releasing agent	Low-molecular-weight polypropylene	-4	-4	-4	-4	-4
		Low-molecular-weight polyethylene					
		Fatty acid amide-wax					
	Charge controlling agent	Iron-azo-complex				2	2
		Chromium-salicylic acid-complex		2	2		
		Zinc-salicylic acid-complex					
		Molybdenum-quaternary ammonium complex					
External additive (Added amount to colored particle in parts by weight)		Silica	2.5	2.5	2.5	2.5	2.5
		Positively-chargeable-silica					
		Titanium-oxide	0.5	0.5	0.5	0.5	0.5

			Example			Compara- tive example	
			14	15	16	1	2
Receipt of raw material composi- tion of colored particle (Parts by weight)	Binder resin	Styrene-acrylate resin 1	100	100	100		100
		Styrene-acrylate resin 2					
		Polyester resin				100	
	Colorant	Magnetite				105	
		Copper phthalocyanine type cyan pigment					
		Quinacridone magenta type pigment					
		Benzidine yellow type pigment					
		Carbon black	10	10	10		10
	Mold releasing agent	Low molecular weight polypropylene	4	4	4		4
		Low molecular weight polyethylene				4	
		Fatty acid amide wax					
	Charge controll- ing agent	Iron-azo complex		2.5		1	1
		Chromium salicylic acid complex	2				
		Zinc salicylic acid complex					
		Molybdenum quaternary ammonium complex			2		
External additive (Added amount to colored particle in parts by weight)		Silica				1	25
		Positively chargeable silica			1		
		Titanium oxide					0.5

2. Please amend Table 2 on page 38 of the Specification as follows, retaining Examples 1-4, 6, and 16-18 and Comparative Examples 1-3:

Table 2

	Specific element in toner			Kind of carrier	Charging amount		Formation of fog
	Kind	Content (% by weight)	Isolated ratio		Initial time	After 10,000 printing	
Example 1	Fe	33.9	0.5	-	-5.3	-5.1	None
Example 2	Fe	34.0	5.2	-	-5.3	-4.2	None
Example 3	Fe	33.5	3.1	-	-5.2	-4.5	None
Example 4	Fe	33.8	0.3	-	-4.1	-4.1	None
Example 5	Cu	0.29	2.7	carrier 1	-29.29.11	-25.77	None
	Cr	0.20	0.5				
Example 6	Cu	0.29	8.6	carrier 2	-20.7	-15.8	None
Example 7	Cu	0.29	5.7	carrier 2	-20.1	-16.1	None
Example 8	Cu	0.29	2.7	carrier 2	-20.2	-16.9	None
Example 9	Cu	0.27	0.7	carrier 2	-20.1	-19.1	None
Example 10	Zn	0.20	2.5	carrier 1	-22.1	-19.6	None
Example 11	Zn	0.20	2.1	carrier 1	-23.4	-21.3	None
Example 12	Cr	0.16	2.3	carrier 1	-24.7	-21.9	None
Example 13	Cr	0.16	1.9	carrier 1	-25.1	-23.2	None
Example 14	Cr	0.15	1.1	carrier 1	-25.5	-23.8	None
Example 15	Fe	0.13	1.5	carrier 1	-24.6	-23.1	None
Example 16	Mo	0.80	1.7	carrier 1	23.5	-22.2	None
Example 17	Cu	0.39	5.0	carrier 1	-22.4	-19.1	None
Example 18	Cu	0.39	1.4	carrier 1	-23.7	-22.7	None
Comparative Example 1	Fe	33.3	12.3	-	-5.2	-2.1	Fog Found
Comparative Example 2	Fe	0.29	10.5	carrier 1	-22.1	-13.2	Fog Found
Comparative Example 3	Cu	0.38	11.4	carrier 2	-23.7	-12.9	Fog Found